Version: N°1 (02/02/2016) PROVEN ORAPI

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Date: 02/02/2016 Page 1/9

Revision: N°3 (02/02/2016)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml

Product code: 56174701.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Disinfectant cleaner

1.3. Details of the supplier of the safety data sheet

Registered company name: PROVEN ORAPI.

Address: 225; Allée des Cèdres.01150.SAINT VULBAS .FRANCE.

Telephone: 0 810 400 402. Fax: 04 92 13 30 32.

FDS@orapi.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS/ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Biocidal detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Hazard statements:

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P280 Wear protective gloves/eye protection/face protection.

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Version: N°1 (02/02/2016)

Revision: N°3 (02/02/2016) PROVEN ORAPI

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Date: 02/02/2016 Page 2/9

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 5949-29-1	GHS07		$2.5 \le x \% < 10$
EC: 201-069-1	Wng		
REACH: 01-2119457026-42	Eye Irrit. 2, H319		
CITRIC ACID			
CAS: 7173-51-5	GHS07, GHS05, GHS09		$0 \le x \% \le 2.5$
EC: 230-525-2	Dgr		
	Acute Tox. 4, H302		
AMMONIUM CHLORIDE	Skin Corr. 1B, H314		
DIDECYLDIMETHYL	STOT SE 3, H335		
	Aquatic Acute 1, H400		
	M Acute = 10		
INDEX: 603-117-00-0	GHS02, GHS07	[1]	$0 \le x \% < 2.5$
CAS: 67-63-0	Dgr		
EC: 200-661-7	Flam. Liq. 2, H225		
REACH: 01-2119457558-25	Eye Irrit. 2, H319		
	STOT SE 3, H336		
PROPAN-2-OL			

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

In case of inhalation, move the patient into the fresh air and keep warm and at rest.

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

Revision : N°3 (02/02/2016)

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Date: 02/02/2016 Page 3/9

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Version: N°1 (02/02/2016)

Revision: N°3 (02/02/2016) PROVEN ORAPI

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Date: 02/02/2016 Page 4/9

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS TWA: STEL: Ceiling: Definition: Criteria: 67-63-0 200 ppm 400 ppm

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS VME: VME: Notes Excess 500 mg/m3 DFG, Y 67-63-0 200 ml/m3 2(II)

- France (INRS - ED984:2008):

VLE-mg/m3: Notes: TMP No: VME-ppm: VME-mg/m3: VLE-ppm:

980 67-63-0 400 84

- Switzerland (SUVA 2009):

CAS VME-mg/m3: VME-ppm: VLE-mg/m3: VLE-ppm: RSB: Temps: 67-63-0 200 1000 400 4x15 В

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS TWA: STEL: Ceiling: Definition: Criteria:

67-63-0 400 ppm 500 ppm

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

PROPAN-2-OL (CAS: 67-63-0)

Final use: Workers. Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 888 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 500 mg of substance/m3

Final use: Consumers. Exposure method: Ingestion.

Potential health effects: Long term systemic effects. DNEL: 26 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 319 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 89 mg of substance/m3

Predicted no effect concentration (PNEC):

PROPAN-2-OL (CAS: 67-63-0)

Environmental compartment: Soil. PNEC: 28 mg/kg Version: N°1 (02/02/2016) Revision: N°3 (02/02/2016) PROVEN ORAPI

Date: 02/02/2016 Page 5/9

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Environmental compartment: Fresh water. PNEC: 140.9 mg/l

Environmental compartment: Sea water. PNEC: 140.9 mg/l

Environmental compartment: Intermittent waste water.

140.9 mg/l PNEC:

Environmental compartment: Fresh water sediment.

PNEC: 552 mg/kg

Environmental compartment: Marine sediment. PNEC: 552 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 2251 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Natural latex
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Suitable type of protective boots:

In the event of minor spatter, wear protective boots or half-boots against chemical risks in accordance with standard EN13832-2.

In the event of prolonged contact, wear boots or half-boots with liquid-chemical-resistant and waterproof soles and uppers in accordance with standard EN13832-3.

Work clothing worn by personnel shall be laundered regularly.

Version : N°1 (02/02/2016) PROVEN ORAPI

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Date: 02/02/2016 Page 6/9

Revision: N°3 (02/02/2016)

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Color : pink Odor : floral note

Important health, safety and environmental information

pH: 2.25 .

Slightly acidic.

Boiling point/boiling range: 100 °C. Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. 1.000 +/- 0.005 Density: Water solubility: Soluble. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant. Decomposition point/decomposition range: Not relevant.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- frost
- heat

10.5. Incompatible materials

Keep away from:

- bases

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

11.1.1. Substances

Acute toxicity:

AMMONIUM CHLORIDE DIDECYLDIMETHYL (CAS: 7173-51-5)

Oral route : 300 < LD50 <= 2000 mg/kg

Species: Rat

Species: Rabbit

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (02/02/2016)

PROVEN ORAPI

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Date: 02/02/2016 Page 7/9

Revision: N°3 (02/02/2016)

CITRIC ACID (CAS: 5949-29-1)

Oral route: LD50 = 5400 mg/kg

Species: Mouse

LD50 > 2000 mg/kgDermal route:

Specific target organ systemic toxicity - single exposure :

AMMONIUM CHLORIDE DIDECYLDIMETHYL (CAS: 7173-51-5) Inhalation route (Vapours): C > 20 mg/l/4h

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

AMMONIUM CHLORIDE DIDECYLDIMETHYL (CAS: 7173-51-5)

LC50 = 0.19 mg/lFish toxicity:

Factor M = 1

Species: Pimephales promelas Duration of exposure: 96 h

EC50 = 0.062 mg/lCrustacean toxicity:

Factor M = 10

Species: Daphnia magna Duration of exposure: 48 h

ECr50 = 0.026 mg/lAlgae toxicity:

Factor M = 10

Species: Pseudokirchnerella subcapitata

Duration of exposure: 96 h

CITRIC ACID (CAS: 5949-29-1)

Fish toxicity: LC50 = 440 mg/l

Duration of exposure: 48 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

EC50 = 1535 mg/lCrustacean toxicity:

> Species: Daphnia magna Duration of exposure: 24 h

ECr50 = 640 mg/lAlgae toxicity:

Species: Scenedesmus quadricauda

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

AMMONIUM CHLORIDE DIDECYLDIMETHYL (CAS: 7173-51-5) Biodegradability: Rapidly degradable.

CITRIC ACID (CAS: 5949-29-1)

no degradability data is available, the substance is considered as not degrading Biodegradability:

quickly.

12.3. Bioaccumulative potential

12.3.1. Substances

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version : N°1 (02/02/2016) PROVEN ORAPI

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

Date: 02/02/2016 Page 8/9

Revision: N°3 (02/02/2016)

AMMONIUM CHLORIDE DIDECYLDIMETHYL (CAS: 7173-51-5)
Octanol/water partition coefficient: log Koe = 1.2

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- ${\rm EU}$ Regulation No. 1272/2008 amended by ${\rm EU}$ Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. $648/2004,\!907/2006)$:

- less than 5 %: cationic surfactants
- less than 5 % : nonionic surfactants
- disinfectants
- perfumes
- allergenic fragrances :

alpha-hexyl cinnamic aldehyde (hca)

- Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC)

Name	CAS	%	Product-type
AMMONIUM CHLORIDE	7173-51-5	24.50 g/kg	02
DIDECYLDIMETHYL			

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals.

15.2. Chemical safety assessment

WYRITOL DESINFECTANT 3D SANITAIRES - SPRAY 750 ml - 56174701

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

Date: 02/02/2016 Page 9/9

Revision: N°3 (02/02/2016)

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Modifications brought with regard to the previous version:

N/A

Wording of the phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.

Abbreviations:

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.